

OUT54521 710

**S E C R E T 250143Z**

1964 NOV 25 02 14Z

**PRIORITY SAIG INFO**

**3350**

**24 NO25X1**

~~HPS~~—25X1-

WCB **12**

~~CFC~~

~~PNS~~

~~AGL~~

-OPS FILES-

**SAIG 9646**

**SAIG 9617 (PARA 3-6)**

1. OPERATION BATHTUB WILL REQUIRE 40 LB CRATERING CHARGES SET AT 5 FOOT INTERVALS, 5 FEET DEEP, NEAR WATER LEVEL ON RESERVOIR SIDE OF DAM 265 FEET LONG, 40 FEET HIGH AND 35 FEET WIDE, REQUIRING A TOTAL OF APPROX 2,000 LBS EXPLOSIVES.

2. GMB AFTER MEETING WITH HQS PERSONNEL BELIEVE PLAN NOT REPEAT NOT FEASIBLE DUE TO AMOUNT OF TIME REQUIRED TO RETRIEVE AND PLACE CHARGES AND PROXIMITY OF MILITARY INSTALLATIONS.

3. STUDY BEING FORWARDED 25 NOV 64 VIA POUCH NO 0787.

**S E C R E T**

**/END OF MESSAGE/**

**1**

**SECRET**

25X1

GROUP 1  
Excluded from automatic  
downgrading and  
declassification